

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	578	((s-shap\$3 or s-typ\$3) or (s near2 shap\$3) or (s near2 typ\$3)) and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/02 10:18
L2	2938	((equation\$2 or express\$4 or formula\$2) with (curve or bend or shape ot waveguide or lightguide or (wave near2 guide) or (light near2 guide) or wave-guide or light-guide)) with (sin or cos)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/02 10:21
L3	0	2 and ("385"/\$.ccls)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/02 10:21
L4	88	2 and ("385"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/02 10:52
L5	6	"5838869"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/02 10:52
L6	10	("4707058" "4746183" "4834480" "4904039" "4979788" "5064265" "5276745" "5351320" "5354709" "5381426").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/05/02 10:52
L7	4	("5838869").URPN.	USPAT	OR	ON	2006/05/02 10:56
L8	129	(channel near3 waveguide) with buried	USPAT	OR	ON	2006/05/02 10:57
L9	413	((channel near3 waveguide) with ((groove or channel) near4 substrate))	USPAT	OR	ON	2006/05/02 10:57
S1	1	"6385383".pn.	USPAT	OR	ON	2005/06/13 15:13
S2	3	("6385383").URPN.	USPAT	OR	ON	2005/06/13 15:14
S3	8	("4373768" "4417782" "4505542" "4529262" "5004913" "5966493" "5999283" "6115519").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/13 15:20
S4	640	385/140.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/13 15:35

EAST Search History

S5	1	S4 and (s adj type)	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/13 15:21
S6	20	S4 and (core with electrode)	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/13 15:28
S7	11	S4 and (core near5 electrode)	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/13 15:29
S8	8	S4 and (core near5 contact)	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/13 15:28
S9	310	S4 and (electrode or contact)	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/13 15:36
S10	4	S9 and ((core near5 vary) with index)	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/13 15:39
S11	3	S9 and ((core near5 temperature) with electrode)	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/13 15:41
S12	1	"6507681".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/13 15:42
S13	1	S12 and temperature	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/13 15:48
S14	1	S12 and curve	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/13 15:49
S16	14	S4 and (curve near3 (waveguide or fiber))	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/13 15:52
S20	26	("3801185" "3809696" "3809732" "3953620" "3993485" "4648687" "4712854" "4738502" "5009483" "5045847" "5106181" "5159699" "5402514" "5544268" "5874187" "5932397" "5966493" "6031945" "6035083" "6122416" "6208798" "6229949" "6236774" "6282361").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/13 15:59
S21	14	S4 and (core near3 temperature)	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/13 16:03

EAST Search History

S22	42	S4 and (silicon adj dioxide)	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/13 16:04
S23	23	S22 and electrode	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/14 08:19
S24	0	2003/0016937.an.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/14 08:20
S25	0	"0016937".an.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/14 08:20
S26	519	385/40.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/01 09:57
S27	32401	"54" and (silicon adj dioxide)	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/14 09:13
S28	641	385/140.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/14 09:13
S29	42	S28 and (silicon adj dioxide)	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/14 10:13
S30	41	S28 and (buffer)	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/14 10:13
S31	2	"20030016937"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/01 10:37
S32	2944	("385"/\$.ccls.) and ((curve or curved) near4 (waveguide or lightguide or fiber or pipe))	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/01 09:59
S33	2443	("385"/\$.ccls.) and ((curve or curved) near3 (waveguide or lightguide or fiber))	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/01 10:47
S34	20	("385"/\$.ccls.) and ((curve or curved) near3 ((waveguide or lightguide or fiber) near3 (embedded or buried or trench or internal)))	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/01 10:05
S35	1	("385"/\$.ccls.) and ((S near2 (shape or shaped)) near3 ((waveguide or lightguide or fiber) near3 (embedded or buried or internal)))	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/01 10:09

EAST Search History

S36	1	"5966493".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/01 10:09
S37	2	"6385383".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/01 10:15
S38	2	"20020136525"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/01 10:15
S39	2	"5966493".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/01 10:15
S40	2	"20040101229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/01 10:15
S41	2	"20030016937"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/01 10:16
S42	6	(US-20020136525-\$ or US-20040101229-\$).did. or (US-6016375-\$ or US-6385383-\$ or US-5966493-\$).did. or (WO-200269024-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2005/10/01 10:16
S43	0	S42 and (cosine or sine)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/01 10:17
S44	4	S42 and ((cos or sin))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/01 10:21
S45	0	S42 and ((tangent or tan))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/01 10:21

EAST Search History

S46	4	S42 and ((cos or sin or tan))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/01 10:28
S47	1	S42 and continuous	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/01 10:27
S48	7	(US-20020136525-\$ or US-20040101229-\$ or US-20030016937-\$).did. or (US-6016375-\$ or US-6385383-\$ or US-5966493-\$).did. or (WO-200269024-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2005/10/01 10:28
S49	4	S48 and ((cos or sin or tan))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/01 10:28
S50	0	S48 and ((open or exposed) near3 core)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/01 10:37
S51	14	("385"/\$.ccls.) and ((curve or curved) near3 (waveguide or lightguide or fiber))and attenuator and ((exposed or expose or open) near3 core)	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/01 10:55
S52	49	("5781675").PN. OR ("5966493"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/01 10:50
S53	16	("4425566" "4800557" "4904042" "4938553" "5002350" "5039993" "5061032" "5136671" "5243672" "5511083" "5546481" "5808765").PN. OR ("6016375").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/01 10:53
S54	0	("2002/0136525").URPN.	USPAT	OR	ON	2005/10/01 10:53
S55	0	("2004/0101229").URPN.	USPAT	OR	ON	2005/10/01 10:53
S56	0	("2003/0016937").URPN.	USPAT	OR	ON	2005/10/01 10:53
S57	2	("2001/0046363").URPN.	USPAT	OR	ON	2005/10/01 10:54
S58	260	("385"/\$.ccls.) and ((curve or curved) near3 (waveguide or lightguide or fiber))and attenuator	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/01 10:55

EAST Search History

S59	1	("385"/\$.ccls.) and (((curve or curved) near3 (waveguide or lightguide or fiber))and attenuator). AB.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/01 11:19
S60	101	"385"/\$.ccls. and attenuator and ((exposed or expose or open or reveal) near3 core)	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/01 11:07
S61	2	"385"/\$.ccls. and (attenuator and ((exposed or expose or open or reveal) near3 core)).ab.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/01 10:59
S62	7	("4121884" "4384761" "4505539" "5619600" "5699462" "5732168").PN. OR ("6400885"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/01 10:59
S63	39	S60 and electrode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/01 11:00
S64	9	"385"/\$.ccls. and (attenuator.ab.) and ((exposed or expose or open or reveal) near3 core)	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/01 11:09
S65	25	"385"/\$.ccls. and (attenuator.ab.) and ((polished or exposed or expose or open or reveal) near3 core)	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/01 11:09
S66	16	S65 not S64	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/01 11:09
S67	215	("385"/\$.ccls.) and ((curve or curved) near3 (waveguide or lightguide or fiber))and ((open or polished or exposed or expose or polish ot reveal or opened) near4 core)	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/01 11:21
S68	116	("385"/\$.ccls.) and ((curve or curved) near3 (waveguide or lightguide or fiber))and ((open or polished or exposed or expose or polish ot reveal or opened) near4 core) and (sine or sin or tangent or tan or cosine or cos)	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/01 11:22
S69	38	("385"/\$.ccls.) and ((curve or curved) near3 (waveguide or lightguide or fiber))and ((open or polished or exposed or expose or polish ot reveal or opened) near4 core) and (sine or sin or tangent or tan or cosine or cos) and electrode	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/01 11:26

EAST Search History

S70	12	attenuator and ((curve or curved) near3 (waveguide or lightguide or fiber))and ((open or polished or exposed or expose or polish ot reveal or opened) near4 core) and (sine or sin or tangent or tan or cosine or cos) and electrode	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/01 11:28
S71	14	attenuator and ((curve or curved) near3 (waveguide or lightguide or fiber))and ((open or polished or exposed or expose or polish ot reveal or opened) with core) and (sine or sin or tangent or tan or cosine or cos) and electrode	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/01 11:29
S72	14	attenuator and ((curve or curved or sinuous) near3 (waveguide or lightguide or fiber))and ((open or polished or exposed or expose or polish ot reveal or opened) with core) and (sine or sin or tangent or tan or cosine or cos) and electrode	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/01 11:29
S73	3	("385"/\$.ccls.) and (((ridge and (slot or channel)) near2 (waveguide or lightguide)).ab.)	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/04 09:03
S74	71	InP near3 polymer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/04 09:35
S75	11	S74 and attenuator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/04 09:36
S76	0	"10102852"	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/21 15:31
S77	1	"10/102852"	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/21 15:32
S78	2594	he.in.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/21 15:32
S79	11	S78 and waveguide and attenuator	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/21 15:32
S80	0	("2002/0136525").URPN.	USPAT	OR	ON	2006/04/21 15:33

EAST Search History

S81	8	"20030016937" or ("5781670" or "5148505" or "5490226").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/21 15:35
S82	63	caracci.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/21 17:15
S83	847	"385"/\$.ccls. and (embedd\$3 near3 waveguide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/21 17:16
S84	7	"385"/\$.ccls. and (curv\$4 near5 (embedd\$3 near3 waveguide))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/21 17:17
S85	219	"385"/\$.ccls. and (substrate near5 (embedd\$3 near3 waveguide))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/21 17:22
S86	0	"385"/\$.ccls. and ((core near5 expos\$4) with (substrate near5 (embedd\$3 near3 waveguide)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/21 17:19
S87	1	"385"/\$.ccls. and (advantag\$3 near5 (substrate near5 (embedd\$3 near3 waveguide)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/21 17:22
S88	985	(channel adj waveguide).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/21 17:36
S90	263	((waveguide or lightguide or fiber) with((s-shap\$3 or s-typ\$3) or (s near2 shap\$3) or (s near2 typ\$3))) and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/28 16:31
S91	75	((waveguide or lightguide or fiber) with((s-shap\$3 or s-typ\$3) or (s near2 shap\$3) or (s near2 typ\$3))) and "385"/\$.ccls. and (expression or expressed or formula or equation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/28 16:36

EAST Search History

S92	2	((waveguide or lightguide or fiber) with((s-shap\$3 or s-typ\$3) or (s near2 shap\$3) or (s near2 typ\$3))) and "385"/\$.ccls. and (sin with (expression or expressed or formula or equation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/28 16:40
S93	9	((s-shap\$3 or s-typ\$3) or (s near2 shap\$3) or (s near2 typ\$3))) and "385"/\$.ccls. and (sin with (expression or expressed or formula or equation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/28 16:53
S94	8	("5781670" or "5148505" or "5490226").pn. or "20030016937"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/28 16:51
S95	1178	waveguide and (sin with (expression or expressed or formula or equation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/28 16:53
S96	80	waveguide with (sin with (expression or expressed or formula or equation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/28 16:53